



Replace conventional halogen bulbs. Dimmable LED, 80 CRI.

Color: White

Weight: 0.1 lbs

<b>Project:</b>	<b>Type:</b>
<b>Prepared By:</b>	<b>Date:</b>

Driver Info		LED Info	
Watts	9W	Input Voltage	120V
Color Temp	4000K (Cool White)	Power Factor	≥0.7
Lumens	840	Flicker	N/A
Efficacy	88.4 LPW	THDi	N/A
Color Accuracy	80 CRI	R9	
L70 Accuracy	15,000		

## Technical Specifications

### Listings

**Rohs:**

Yes

**CEC Status:**

Not lawful for sale in California

**ENERGY STAR V2.0:**

This product is ENERGY STAR® Version 2.0 Certified

**Energy Star ID:**

2329337

### Description

**Dimmable:**

Yes, down to 10%

**Lamp Type:**

A Series Bulb

**Bulb Type:**

A19

**Base Type:**

GU24

**Material:**

Plastic

### Construction

**Operating Temperature:**

-20 - 45°C

**MOL (inches):**

4.29"

**MOD (inches):**

2.36"

### LED Characteristics

**Lifespan:**

15,000-hour LED lifespan based on IES LM-70 results

### Other

**Equivalent:**

60W Incandescent A19

**Warranty:**

3 years

### Optical

**Beam Angle:**

230°

### Shipping Information

**Case Qty:**

12

**Case Dimensions:**

15.4 x 5.2 x 4.9

**Pallet Quantity of Pieces:**

2016


## Technical Specifications (continued)

### Shipping Information

**Pallet Dimensions:**

47.24 x 39.37 x 45.67

## Dimensions



## Features

**A-LINE REPLACEMENT** - Replacement for conventional halogen and incandescent bulbs

**ENERGY SAVINGS** - Save up to 85% on energy

**DAMP RATED** - Suitable for damp locations

**15,000-HOUR LIFESPAN** - Last up to 13.7 years at 3 hours per day

**ENCLOSED FIXTURE RATED** - May be used in both enclosed and open fixtures

**SHATTERPROOF** - Plastic lamps for rugged applications

**80 CRI** - Ideal for general lighting applications

**DIMMABLE** - Compatible with most common dimmer models

## Ordering Matrix

Family	Lamp Power	Base Type	CRI	Color Temp	Dimmable
A19	9	GU24	8	40	DIM
	5 = 40W 9 = 60W 10 = 60W 13 = 75W 15 = 100W 16 = 100W	E26 = E26 GU24 = GU24	8 = 80 CRI	27 = 2700K 30 = 3000K 40 = 4000K 50 = 5000K	DIM = Dimmable