



Replace 40W and 60W bulbs.
Color: White

Weight: 0.1 lbs

| | |
|---------------------|--------------|
| Project: | Type: |
| Prepared By: | Date: |

| Driver Info | | LED Info | |
|--------------------|--------------------|-----------------|------|
| Watts | 6W | Input Voltage | 120V |
| Color Temp | 2700K (Soft White) | Power Factor | 0.7 |
| Lumens | 500 | Flicker | <30% |
| Efficacy | 90.9 LPW | THDi | N/A |
| Color Accuracy | 90 CRI | R9 | |
| L70 Accuracy | 15,000 | | |

Technical Specifications

Listings

ETL Qualified:

Yes

FCC:

Yes

Rohs:

Yes

CEC Status:

Lawful for sale in California

ENERGY STAR V2.0:

This product is ENERGY STAR® Version 2.0 Certified

Energy Star ID:

2330354

Description

Dimmable:

Yes, down to 10%

Lamp Type:

Decorative Lamps

Bulb Type:

BA11

Base Type:

E26, Medium Screw Base

Material:

Glass

Construction

Operating Temperature:

-20 - 45°C

MOL (inches):

3.9"

MOD (inches):

1.38"

LED Characteristics

Lifespan:

15,000-hour LED lifespan based on IES LM-70 results

Other

Equivalent:

60W Incandescent BA11

Warranty:

3 years

Optical

Beam Angle:

360°

Shipping Information

Case Qty:

12

Technical Specifications (continued)

Shipping Information

Case Dimensions:

6.5 x 4.92 x 5.12


Pallet Quantity of Pieces:

4452

Pallet Dimensions:

38.43 x 46.3 x 37.2

Dimensions



Features

- DECORATIVE BULB REPLACEMENT - Replaces conventional decorative lamps
- ENERGY SAVINGS - Save up to 85% on energy
- 90 CRI - Produces rich and vibrant colors
- 15,000-HOUR LIFESPAN - Last up to 13.7 years at 3 hours per day
- DAMP RATED - Suitable for damp locations
- ENCLOSED FIXTURE RATED - May be used in both enclosed and open fixtures
- FROSTED GLASS - Simulate the appearance of conventional lamps
- 360° LIGHT OUTPUT - Well suited for decorative lighting applications
- DIMMABLE - Compatible with most common dimmer models

Ordering Matrix

| Family | Lamp Power | Base Type | CRI | Color Temp | Type | Finish |
|--------|--------------------|------------------------|------------|------------|--------------|-------------|
| BA11 | 5 | E26 | 9 | 27 | F | F |
| | 3 = 40W 5 = 60W | E12 = E12 E26 = E26 | 9 = 90 CRI | 27 = 2700K | F = Filament | F = Frosted |