



UPC: 0



Color: Clear

Weight: 0.0 lbs

Project:	Type:
Prepared By:	Date:

**Technical Specifications**

**Performance**

**Product Type:**

Decorative

**Input Wattage:**

10W

**Typical Lumen Output:**

1100lm

**Efficacy:**

110 lm/W

**CRI:**

90

**L70 Lifespan:**

15,000 Hours

**Dimmable:**

Yes

**LED Characteristics**

**Color Temperature:**

2700K

**Construction**

**Bulb Shape:**

A19

**Base Type:**

E26, Medium Screw Base

**Enclosure Material:**

Glass

**Beam Angle:**

360°

**Electrical**

**Power Factor:**

>0.7

**Operating Temperature:**

-20°C - 45°C

**Technical Specifications (continued)**

**Electrical**

**Input Voltage:**

120V

**Operating Frequency:**

50/60 Hz

**Other**

**Warranty (Years):**

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

**Buy American Act Compliance:**

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.


**Wattage Equivalency:**

75W Incandescent

**Case and Pallet Dimensions**

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	10.8	8.1	10.8
PALLET	1080	44.1	38.7	26.7

**Dimension**



**Features**

- Replacement for conventional decorative lamps
- Filament LED construction gives a unique traditional look and feel for decorative and ambient applications
- Produces rich and vibrant colors, >90CRI
- Rated for use in enclosed and open fixtures in dry and damp locations
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- Title 20 Compliant, ENERGY STAR Compliant, UL Listed
- Smooth uniform dimming down to 10% (check dimmer compatibility list)

